PRESCHOOL

STATE OF CONNECTICUT

DEPARTMENT OF PUBLIC HEALTH

IMMUNIZATION REQUIREMENTS FOR ENROLLED STUDENTS IN CONNECTICUT SCHOOLS

2023-2024 SCHOOL YEAR

Hep B: 3 doses, last one on or after 24

weeks of age

DTaP: 4 doses (by 18 months for programs

with children 18 months of age)

3 doses (by 18 months for programs Polio:

with children 18 months of age)

MMR: 1 dose on or after 1st birthday 1 dose on or after 1st birthday or Varicella:

verification of disease

2 doses given six calendar months apart, 1st dose on or after 1st birthday Hepatitis A:

1 dose on or after 1st birthday Hib: Pneumococcal: 1 dose on or after 1st birthday

Influenza: 1 dose administered each year between August 1st-December 31st

(2 doses separated by at least 28 days required for those receiving flu for

the first time)

KINDERGARTEN

Hep B: 3 doses, last dose on or after 24 weeks of age

DTaP: At least 4 doses. The last dose must be given on or after 4th birthday Polio: At least 3 doses. The last dose must be given on or after 4th birthday MMR: 2 doses separated by at least 28 days, 1st dose on or after 1st birthday 2 doses separated by at least 3 months-1st dose on or after 1st birthday; Varicella:

or verification of disease. 28 days between doses is acceptable if the

doses have already been administered.

Hepatitis A: 2 doses given six calendar months apart, 1st dose on or after 1st birthday

1 dose on or after 1st birthday for children less than 5 years old Hib:

Pneumococcal: 1 dose on or after 1st birthday for children less than 5 years old

GRADES 1-6

Hep B: 3 doses, last dose on or after 24 weeks of age

DTaP/Td: At least 4 doses. The last dose must be given on or after 4th birthday.

Students who start the series at age 7 or older only need a total of 3

doses.

Polio: At least 3 doses. The last dose must be given on or after 4th birthday 2 doses separated by at least 28 days, 1st dose on or after 1st birthday MMR: 2 doses separated by at least 3 months-1st dose on or after 1st birthday: Varicella:

or verification of disease. 28 days between doses is acceptable if the

doses have already been administered.

2 doses given six calendar months apart, 1st dose on or after 1st birthday Hepatitis A:

GRADE 7-11

Hep B: 3 doses, last dose on or after 24 weeks of age

Tdap/Td: 1 dose for students who have completed their primary DTaP series.

> Students who start the series at age 7 or older only need 3 doses of tetanus-diphtheria containing vaccine, one of which must be Tdap

Polio: At least 3 doses. The last dose must be given on or after 4th birthday 2 doses separated by at least 28 days. 1st dose on or after 1st birthday MMR: Varicella: 2 doses separated by at least 3 months-1st dose on or after 1st birthday;

or verification of disease. 28 days between doses is acceptable if the

doses have already been administered.

Hepatitis A: 2 doses given six calendar months apart, 1st dose on or after 1st birthday

Meningococcal: 1 dose

GRADE 12 Hep B: 3 doses, last dose on or after 24 weeks of age

Tdap/Td: 1 dose for students who have completed their primary DTaP series.

Students who start the series at age 7 or older only need 3 doses of tetanus-diphtheria containing vaccine, one of which must be Tdap

Polio: At least 3 doses. The last dose must be given on or after 4th birthday MMR: 2 doses separated by at least 28 days, 1st dose on or after 1st birthday Varicella: 2 doses separated by at least 3 months-1st dose on or after 1st birthday;

or verification of disease. 28 days between doses is acceptable if the

doses have already been administered.

Meningococcal: 1 dose

DTaP vaccine is not administered on or after the 7th birthday.

- Tdap can be given in lieu of Td vaccine for children 7 years and older unless contraindicated.
- Hib is NOT required once a student turns 5 years of age.
- Pneumococcal Conjugate is NOT required once a student turns 5 years of age.
- Influenza is NOT required once a student turns 5 years of age
- Hep A requirement for school year 2023-2024 applies to all Pre-K through 11th graders born 1/1/07 or later.
- Hep B requirement for school year 2023-2024 applies to all students in grades K-12.
 Spacing intervals for a valid Hep B series: at least 4 weeks between doses 1 and 2; 8 weeks between doses 2 and 3; at least 16 weeks between doses 1 and 3; dose 3 must be administered at 24 weeks of age or later.
- Second MMR for school year 2023-2024 applies to all students in grades K-12.
- Meningococcal Conjugate requirement for school year 2023-24 applies to all students in grades 7-12
- Tdap requirement for school year 2023-2024 applies to all students in grades 7-12
- If two live virus vaccines (MMR, Varicella, MMRV, Intra-nasal Influenza) are not administered on the same day, they must be separated by at least 28 days (there is no 4-day grace period for live virus vaccines). If they are not separated by at least 28 days, the vaccine administered second must be repeated.
- Lab confirmation of immunity is only acceptable for Hep A, Hep B, Measles, Mumps, Rubella, and Varicella.
- **VERIFICATION OF VARICELLA DISEASE:** Confirmation in writing by a MD, PA, or APRN that the child has a previous history of disease, based on family or medical history.

For the full legal requirements for school entry visit: Laws and Regulations (ct.gov)

If you are unsure if a child is in compliance, please call the Immunization Program at (860) 509-7929.

New Entrant Definition:

*New entrants are any students who are new to the school district, including **all** preschoolers and all students coming in from Connecticut private, parochial and charter schools located in the same or another community. **All pre-schoolers, as well as all students entering kindergarten**, including those repeating kindergarten, and those moving from any public or private pre-school program, even in the same school district, **are considered new entrants**. The one exception is students returning from private approved special education placements—they are not considered new entrants.

Commonly Administered Vaccines:

<u>Vaccine:</u>	Brand Name:	<u>Vaccine:</u>	Brand Name:
DTaP-IPV-Hib	Pentacel	MMRV	ProQuad
DTaP-HIB	TriHibit	PCV7	Prevnar
HIB-Hep B	Comvax	PCV13	Prevnar 13
DTaP-IPV-Hep B	Pediarix	DTaP-IPV	Kinrix, Quadracel
Hepatitis A	Havrix, Vaqta	PCV 15	Vaxneuvance
MMR	MMR II, Priorix	Influenza	Fluzone, FluMist, Fluviron, Fluarix, FluLaval
			Flucelvax. Afluria